



Audurra™ Perforated Ultra Lifting Tape

MASKING

Description:

Audurra Perforated Ultra Lifting Tape offers excellent resistance to heat, good adhesion to a variety of surfaces and residue-free removal. The product comprises a high performance translucent blue PVC tape with a rubber-based pressure sensitive adhesive; a thick PE Film to provide good leverage of rubbers and gaskets from windows and body-side mouldings; and a liner to allow the tape to be easily unwound. The product is perforated making it easy to tear and is flexible to allow contours and curves to be followed.



Features:

- Specially formulated high grab adhesive
- Perforated sections allow for easy tearing
- Lifting tab


Available in:

Article number	Dimensions	Small packaging	Delivery unit (Masterbox)
D15418879	50mm x 10m	1 roll	10 rolls

Audurra™ Perforated Ultra Lifting Tape

MASKING

Product Construction:



Shelf Life:

12 months from date of receipt by customer when stored at $20^{\circ}\text{C} \pm 5^{\circ}\text{C}$ ($68^{\circ}\text{F} \pm 7^{\circ}\text{F}$) and 65% relative humidity.

Physical Properties:

Values shown are typical values and not to be used for specification purposes.

Carrier	PVC
Adhesive	Rubber-based
Film 1	Polyester
Main Colour	Translucent Blue
Liner	Release-coated paper
Total Thickness	315µm / 0.315mm ($\pm 10\%$)
Width	50mm ($\pm 10\%$)
Length	10m ($\pm 2\%$)



Audurra™ Perforated Ultra Lifting Tape

MASKING

Performance Properties:

Values shown are typical values and not to be used for specification purposes.

Peel Adhesion	8N/25mm	[ASTM D-1000]
Elongation at Break	>200% (excludes perforations)	
Tensile Strength	>200N (excludes perforations)	[ASTM D-1000]
Temperature Resistance	150°C (300°F) for ≤1 hr	

