

Audurra™ T-Foam Masking Tape

MASKING

Description:

Audurra T-Foam Masking Tape is designed for aperture masking of the inner surface of vehicle access points to reduce the ingress and build-up of paint during the automotive finishing process.

It offers good conformity around contours; a custom-formulated adhesive providing clean, residue- free removal; dual foams providing strength from the flat base foam and a graduated painting edge from the upper foam.



Features:

- T-Shape design with graduated edge
- Specially formulated adhesive
- Flexible closed cell foam
- Finger lift edge
- One continuous length


Available in:

Article number	Dimensions	Packaging unit
D15418878	10 mm x 25 m	1 roll

Audurra™ T-Foam Masking Tape

MASKING

Product Construction:



Shelf Life:

12 months from date of receipt by customer when stored at 22°C (72°F) and 50% relative humidity.

Physical Properties:

Values shown are typical values and not to be used for specification purposes.

Upper Foam	Low density open cell foam
Base Foam	High density closed cell XL foam
Adhesive	Rubber-based
Liner	Single-side coated paper
Colour	White
Width	10mm (±15%)
Length	25m (±5%)

**Audurra™ Perforated Trim Masking Tape****MASKING****Performance Properties:**

Values shown are typical values and not to be used for specification purposes.

Peel Adhesion	3.0N
Elongation at Break	≥120%
Tensile Strength	≥100kPa

How to use:

Step 1: Tear off the required length and remove the release liner to expose the adhesive.

Step 2: Position the tape along the edge of the panel.

Step 3: Apply pressure to secure in place.

Step 4: Once the door is shut and the vehicle is masked, spray the required area.

The product will protect the interior from overspray, seamlessly leaving no paint edges.

Step 5: Upon removal, stretch the product at a 45° angle to ensure clean removal, with no residue left behind.